

# SMUP460M-10

DATA SHEET

MUP M Line



## MUP M Line · Digital Signage

Our most exclusive Digital Multimedia Totem line with a housing made of painted steel with rounded sides.



# SMUP460M-10

## SOLTEC TECHNICAL SPECIFICATIONS

### DIGITAL SIGNAGE

#### MUP M Line

### GENERAL DESCRIPTION

Digital Multimedia Totem with 46" Professional TFT panel Built-in. Housing made of painted steel with rounded sides from our MUP-M Line. Designed to be fixed to the floor internally with no visible screws. It can be painted at any RAL Colour. Available with a full range of options detailed in the next page.

Full range of options available.



#### DISPLAY

Panel Technology	S-PVA Edge LED
Display Area (mm)	1018.08 (H) x 572.67 (V)
Size	46"
Pixel Pitch (mm)	0.53025 x 0.53025
Screen Aspect	16:9
Native Resolution	1920 x 1080
Viewing Angle UDLR	89°/89°/89°/89°
Contrast Ratio	4000:1 (Typ)
Brightness cd/m2	500 (Typ)
Colors	1073.7 M Colors
Response Time	6.5ms Ton +Toff
Life Time (hours)	50.000

#### CONNECTIVITY

Analogue RGB Input	1xDB15
Digital Input	1xDVI-D 1xDP
Auto Detection	Yes
No Signal Detected	Standby Mode
Identification	DDC2Bi EDiD v1.3

#### ELECTRICAL

Power Supply Input	110/120VAC 50-60Hz
Power consumption for the standad reference	95W
Energy Management	VESA DPMS

#### MECHANICAL (SMUP460M-10)

Net (mm)	1975x805x125
Base (Optional)	950x300
Packing (WxHxD)	2170x1050x480
Net Weight (Kg)	90

#### ENVIRONMENTAL CONDITIONS

Operation Temperature	0° to 40°
Storage Temperature	-20° to 60°
Operation Humidity (%)	10 to 90
Storage Humidity (%)	10 to 90

#### OTHERS

Certifications	CE; RoHS
Plug & Play	VESA DDC2Bi
Accessories	Mains Power Cord User Manual

#### ORDERING INFORMATION

SMUP460M-10	Standard 46.0" MUP-M Line
-------------	---------------------------

\* See ordering information options at next page

Specifications subject to change without prior notice

# SMUP460M-10

**SOLTEC**

STANDARD AVAILABLE OPTIONS

## DIGITAL SIGNAGE

### MUP M Line

46.0" Professional Digital Multimedia Totem

4K Panel



Touch Screen



Protective glass



Built-in PC



Built-in DMP



Speakers



## ORDERING INFORMATION OPTIONS

PC-J3455

Built-in Industrial PC with Intel Quadcore J3455, RAM 4GB DDR3/120GB SSD, Intel HD Graphics Chipset

I3 - CPU

Intel i3 CPU upgrade

I5 - CPU

Intel i5 CPU upgrade

I7 - CPU

Intel i7 CPU upgrade

8RAM

8GB RAM DDR3 upgrade

16RAM

16GB RAM DDR3 upgrade

32RAM

32GB RAM DDR3 upgrade

PCT460IN

46.0" Projected Capacitive Touch Screen

IR-460-X

46.0" Infrared Technology (X=2/6/12/32) simultaneous touches

DMP-HD224

Built-in FullHD Digital Media Player

DMP-XD234

Built-in 4K Digital Media Player

G460L

46.0" 6mm Laminated Protective Glass

G460LS

46.0" 6mm Laminated Protective Glass with black border serigraphy

G460AG

46.0" 6mm Anti-Glare Laminated Protective Glass

EXP-F

Expanded base with rubber feet

EXP-W

Expanded base with wheels

AMP-2W

Audio Amplifier + 2x 2W Speakers

RALxxxx

Customized RAL Color

CUSTOM

Customized housing as per customer requirements



Specifications subject to change without prior notice

# SMUP460M-10

**SOLTEC**  
GENERAL DIMENSIONS


## DIGITAL SIGNAGE

MUP M Line

## CONSULTANTS & ARCHITECTS

Technical product description

Digital Multimedia Totems with with 46" Professional TFT Monitor Built-in. Full HD 1.920x1.080 native resolution, contrast ratio 4000:1, brightness 500cd/m<sup>2</sup>, perfect viewing angle 178°/178°. Painted steel housing with rounded sides with internal holes to allow fix the totem from inside, so no visible screws. Designed to allocate a full range of options like front protective glass, touch screen, built-in PC, Digital Media Player...



Illustrated standard model

