

# SMUP850C-10

DATA SHEET

MUP C Line



## MUP C Line · Digital Signage

With a classic design, this Totem is the most cost affordable line with a housing made of painted steel with straight edges.



# SMUP850C-10

**SOLTEC**  
TECHNICAL SPECIFICATIONS

## DIGITAL SIGNAGE

### MUP C Line

## GENERAL DESCRIPTION

Digital Multimedia Totem with 85" Professional TFT panel Built-in. Housing made of painted steel with straight edges from our MUP-C Line. Designed to be fixed to the floor internally with no visible screws. It can be painted at any RAL Colour. Available with a full range of options detailed in the next page.

Full range of options available.



### DISPLAY

Panel Technology	S-PVA Edge LED
Display Area (mm)	1872.0 (H) x 1053.0 (V)
Size	85"
Pixel Pitch (mm)	0.4875 x 0.4875
Screen Aspect	16:9
Native Resolution	3.940 x 2.160
Viewing Angle UD/LR	89°/89°/89°/89°
Contrast Ratio	4000:1 (Typ)
Brightness cd/m2	700 (Typ)
Colors	1.07 B Colors
Response Time	8.5 ms Ton + Toff
Life Time (hours)	60.000

### CONNECTIVITY

Digital Input	2x DVI-D 2x DP 1.2
Auto Detection	Yes
No Signal Detected	Standby Mode
Identification	DDC2Bi EDiD v1.3

### ELECTRICAL

Power Supply Input	110/120VAC 50-60Hz
Power consumption for the standad reference	190W
Energy Management	VESA DPMS

### MECHANICAL (SMUP850C-10)

Net (mm)	TBD
Base (Optional)	TBD
Packing (WxHxD)	TBD
Net Weight (Kg)	TBD

### ENVIRONMENTAL CONDITIONS

Operation Temperature	-5° to 50°
Storage Temperature	-20° to 60°
Operation Humidity (%)	10 to 90
Storage Humidity (%)	10 to 90

### OTHERS

Certifications	CE; RoHS
Plug & Play	VESA DDC2Bi
Accessories	Mains Power Cord User Manual

### ORDERING INFORMATION

SMUP850C-10	Standard 85.0" MUP-C Line
-------------	---------------------------

\* See ordering information options at next page

Specifications subject to change without prior notice

# SMUP850C-10

**SOLTEC**

STANDARD AVAILABLE OPTIONS

## DIGITAL SIGNAGE

### MUP C Line

85.0" Professional Digital Multimedia Totem

Wifi



Touch Screen



Protective glass



Built-in PC



Built-in DMP




Speakers




Outdoor Housing



High Brightness



Housing Customization



## ORDERING INFORMATION OPTIONS

PC-J3455

Built-in Industrial PC with Intel Quadcore J3455, RAM 4GB DDR3/120GB SSD, Intel HD Graphics Chipset

I3 - CPU

Intel i3 CPU upgrade

I5 - CPU

Intel i5 CPU upgrade

I7 - CPU

Intel i7 CPU upgrade

8RAM

8GB RAM DDR3 upgrade

16RAM

16GB RAM DDR3 upgrade

32RAM

32GB RAM DDR3 upgrade

PCT850DP

85.0" Projected Capacitive Touch Screen (Outdoor)

PCT850IN

85.0" Projected Capacitive Touch Screen

IR-850-X

85.0" Infrared Technology (X=2/6/12/32) simultaneous touches

DMP-HD224

Built-in FullHD Digital Media Player

DMP-XD234

Built-in 4K Digital Media Player

850HB

4000cd/m<sup>2</sup> High Brightness TFT with High Trn 110° option

G850L

85.0" 6mm Laminated Protective Glass

G850LS

85.0" 6mm Laminated Protective Glass with black border serigraphy

G850AG

85.0" 6mm Anti-Glare Laminated Protective Glass

EXP-F

Expanded base with rubber feet

EXP-W

Expanded base with wheels

AMP-2W

Audio Amplifier + 2x 2W Speakers

RALxxxx

Customized RAL Color

OUTDOOR

Outdoor housing made of stainless steel

CUSTOM

Customized housing as per customer requirements



Specifications subject to change without prior notice

