

# SFOL173G-10

DATA SHEET

FOL G Line



## FOL G Line · Foldable Motorized Monitors

Elegant and high-end Foldable Motorized Monitors for boardroom tables made of anodized aluminium housing. Protective glass with black border serigraphy.



# SFOL173G-10

## SOLTEC TECHNICAL SPECIFICATIONS

### FOLDABLE MOTORIZED MONITOR

#### FOL G Line

### GENERAL DESCRIPTION

Foldable Motorized Monitor for boardroom and meeting room tables. 20° **tilt adjustment** that can be set according to user preference. High-end anodized aluminium monitor housing. Protective glass with black border serigraphy.

VGA and DVI-D inputs.

RS-232 serial control through DB9 connector.

RS-485/422 serial control through RJ45 connector in loop and addressing.

Touch Screen



USB



Keyboard




Channel Selector



Voting System



HDBaseT Input



Full range of options available.



### DISPLAY

Panel Technology	Edge LED Technology
Display Area (mm)	381.88(H) x 214.81(V)
Size	17.3"
Pixel Pitch (mm)	0.198 x 0.198
Screen Aspect	16:9
Native Resolution	1920 x 1080
Viewing Angle UDLR	60°/80°/80°/80°
Contrast Ratio	600:1 (Typ)
Brightness cd/m2	400 (Typ)
Colors	16.7M Colors
Response Time	40ms Ton + Toff
Life Time (hours)	50.000
Protective Glass	3mm with black border

### CONNECTIVITY

Analogue RGB Input	1xDB15
Digital Input	1xDVI-D
RS-232 Control	1xDB9
RS-485/422 Control	2xRJ45 (With Loop)

### CONTROL

Remote Control	1xRS232, 1xRS485/422
Manual Control	2 Pushbuttons (Up/Down) 2 Pushbuttons (Tilt adjustment)

### ELECTRICAL

Power Adaptor	90 ~ 264VAC to 12VDC 47 ~ 63Hz
Power Consumption	30W
Energy Management	VESA DPMS

### MECHANICAL (SFOL173G-10)

Screen (mm)	450 x 272
On-table Cover Plate (mm)	398 x 24
Under-table Housing (mm)	524 x 398 x 106
NET Weight (Kg)	TBD
Packaging dimensions (mm)	600x720x190
Gross Weight (Kg)	TBD

### ENVIRONMENTAL CONDITIONS

Operation Temperature	0° to 70°
Storage Temperature	-20° to 70°
Operation Humidity (%)	5 to 95
Storage Humidity (%)	5 to 95

### OTHERS

Certifications	CE; RoHS, BIS, EAC, CB IECCE
Plug & Play	VESA DDC2Bi
Accessories	Mains Power Cord User Manual

Specifications subject to change without prior notice

# SFOL173G-10

**SOLTEC**  
GENERAL DIMENSIONS

## FOLDABLE MOTORIZED MONITOR

FOL G Line

### CONSULTANTS & ARCHITECTS

Technical product description

Elegant and high-end 17.3" Foldable Motorized Monitors for boardroom tables made of anodized aluminium housing. Protective glass with black border serigraphy. With a silent, high-speed lift system. With just a 10cm box under the table, this product is perfect for those installations with limited space.

Monitors can be remotely controlled by serial RS-485 or RS-232 port.

