

SKCV156M-28

DATA SHEET

KCV Line



KCV Line · Interactive Multimedia Kiosk

Elegant and high-end kiosk with a curved design.
A comfortable user is the sign of a superior installation.



SKCV156M-28

INTERACTIVE MULTIMEDIA KIOSK

KCV Line

GENERAL DESCRIPTION

Interactive Multimedia Kiosks with a curved design

A comfortable user is the sign of a superior installation. Built-in projected capacitive touch screen and a PC that can be customized according to customers' technical requirements.

Touch Screen



Thermal printer




Keyboard



Speakers



High Brightness



Magnetic band reader



Full range of options available.



DISPLAY

| | |
|--------------------|-----------------------|
| Panel Technology | Edge LED Technology |
| Display Area (mm) | 344.23(H) x 193.53(V) |
| Size | 15.6" |
| Pixel Pitch (mm) | 0.252 x 0.252 |
| Screen Aspect | 16:9 |
| Native Resolution | 1.366 x 768 |
| Viewing Angle UDLR | 80°/80°/85°/85° |
| Contrast Ratio | 500:1 (Typ) |
| Brightness cd/m2 | 300 (Typ) |
| Colors | 16.7M Colors |
| Response Time | 8ms Ton + Toff |
| Life Time (hours) | 50.000 |
| Touch Screen | Capacitive Technology |

BUILT-IN PC

| | |
|------------------|---------------------------|
| CPU | Intel QuadCore J3455 |
| Platform | Mini-ITx |
| RAM Memory | 4GB DDR3 SO-DIMM |
| HDD | 120GB SATA SSD |
| Ethernet Chipset | Roaltek RTL8111GR Gigabit |
| Graphics Chipset | Intel HD Graphics 500 |

ELECTRICAL

| | |
|--------------------|--------------------|
| Power Supply Input | 110/120VAC 50-60Hz |
| Power Consumption | 45W |
| Energy Management | VESA DPMS |

MECHANICAL (SKCV156M-28)

| | |
|-----------------------|--------------|
| Net without base (mm) | 1552x420x75 |
| Net with base (mm) | 1552x520x355 |
| Packing (WxHxD) | 1620x600x540 |
| Net Weight (Kg) | 60 |

ENVIRONMENTAL CONDITIONS

| | |
|------------------------|-------------|
| Operation Temperature | 0° to 60° |
| Storage Temperature | -20° to 60° |
| Operation Humidity (%) | 5 to 90 |
| Storage Humidity (%) | 5 to 90 |

OTHERS

| | |
|-------------|---------------------------------|
| Security | CE; RoHS |
| Plug & Play | VESA DDC2Bi |
| Accessories | Mains Power Cord User Manual |

OPTIONS

| | |
|-----------------------|---|
| Computer upgrade | Intel i3, i5, i7 RAM 4GB DDR3 HD 720p |
| Webcam | HD 720p |
| Amplifier + Speakers | 2W x 2W Speakers |
| Protective Glass | 4mm tempered glass |
| Keyboard+ Trackball | Stainless steel IP65 |
| High Brightness Panel | 1.000cd/m ² |
| Thermal Printer | 60/80/120/A4 |
| Bar Code Rader | Lineal, PDF417, QR |
| RFID Reader | Reader/Reader+Writer |
| Customized housing | |
| Option 1 | Painted RAL Palette |
| Option 2 | Stainless steel housing |
| Option 3 | Outdoor IP65 |

Specifications subject to change without prior notice

